



ACCESSORIES PRICELIST

brccanada.com

Effective Date: January 1, 2008

BRC BUSINESS ENTERPRISES LTD. TERMS AND CONDITIONS OF SALE

Price

All prices shown are suggested retail prices and are subject to change without notice. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order.

Terms

Initial orders COD, net 30 days thereafter upon approved credit; 2% monthly interest (24% yearly) on past due invoices. All applicable taxes are extra. No orders will be shipped if invoices are past due. Prices do not include installation.

Orders

All orders are subject to acceptance by BRC. Any written order is considered final, our order confirmation is binding, and the information received is the customer's responsibility. Any subsequent change is subject to approval by BRC. We reserve the right to apply a handling charge of 25% for any change. Any order placed by phone will require a written confirmation within 24 hours, or will not be processed.

Cancellation/Changes

- a) No order can be cancelled without the written consent of BRC. BRC reserves the right to charge the customer for that portion of the order which has been completed to date of cancellation, including a handling charge for disposal.
- b) No order can be changed without the written consent of BRC. All change requests must be received in writing by BRC.
- c) BRC reserves the right to apply a handling charge of 25% for changes.

Storage

BRC reserves the right to assess storage charges on all items not accepted by the customer one week after the scheduled shipping date. The invoice for merchandise is dated and issued when the merchandise is ready for shipment.

Return of Goods

- a) No merchandise may be returned without the written consent of BRC and specific instructions by BRC for shipment. If this procedure is not followed, the merchandise will not be accepted by the factory and will be returned to sender collect without any further notice.
- b) Claims for factory defects must be made within ten days of receipt of goods. The merchandise must be returned to our factory within 15 days after receipt of the return authorization from BRC. These conditions will be strictly adhered to.
- c) Returns of items authorized by BRC are subject to a charge of 25%, plus any repair charge deemed necessary. Items must be returned freight prepaid.

Shipping/Claims

- a) All prices are F.O.B. Georgetown factory. For U.S. orders only, freight will be prepaid on orders of \$7,500 list price or greater to a single destination. All orders under \$7,500 list price will be shipped prepaid and charges will be added to the customer invoice. BRC will only prepare a freight quote upon submittal of a written bill of materials for freight quote accuracy.
- b) Merchandise is carefully packed and thoroughly inspected before leaving our warehouse. The carrier, upon acceptance of the shipment, assumes responsibility for its safe delivery. Claims for loss or damage sustained in transit must, therefore, be made upon the carrier as follows.
- c) Shipments will be handed over to the carrier in good condition; BRC liability ceases at this point, and BRC will choose the carrier, unless otherwise indicated on your order. Deliveries are to the receiving dock. The carrier is not required to deliver to any floor, to unpack or to install merchandise or to carry merchandise at any time.
- d) Damages or shortages must be claimed from the carrier within seven days of receipt. You and the carrier must note damages or shortages directly on your copy of the delivery slip. Failure to note damages or shortages on the delivery slip will make claims impossible.

- e) Concealed loss or damage: Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. The receiver of the merchandise must file for concealed damage with the carrier within seven days of receipt. Failure to do so will make claims impossible.
- f) Visible loss or damage: Any external evidence of loss or damage must be noted on the freight bill or delivery receipt and signed by the carrier's agent. Failure to adequately describe such external evidence of loss or damage may result in the carrier refusing to honor a damage claim. The form required to file such claim will be supplied by the carrier.
- g) If the order is shipped directly to your customer, any claims should be handled through you using the procedure described in d), e) and f) above.
- h) No allowance is given for orders picked up at the factory.
- i) Customer carrier: When the client chooses a carrier, all charges remain the responsibility of the client. BRC assumes no responsibility for insurance, standby, loss, damage, waiting, unloading, packing, haulage, or any other charges whatsoever associated with this carrier.
- j) Backorders: Freight for all backorders will be the responsibility of the customer and will be billed at the time of the backorder shipment.

Customer's Specifications

BRC actively solicits contract projects. Our advanced design and manufacturing capabilities facilitate custom project design with relative ease and extremely competitive prices.

Product Specifications

BRC reserves the right to modify the specifications or products, materials, design or accessories without notice. BRC also reserves the right to halt production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. BRC assumes no responsibility for lot changes in paint, material color or finishes.

Weight/Volumes

The weights and volumes shown on the price lists include packaging, are approximate, and are listed per item unskidded. Volumes will vary with skidded shipments.

Warrantees

BRC product carries a 10 year limited structural warranty. Panel and table 8 wire electrical cabling carry a five year limited warranty. All moving user adjustable components carry a five year limited structural warranty. All other electrical or electronic elements of BRC furniture carry a one year limited warranty. The validity of these warrantees starts at the date of purchase, and only if purchased directly from BRC or one of its authorized distributors. Only an original signed and dated bill of lading will be recognized as an official document. These warrantees are limited to replacing or repairing at BRC's option any defective products and only if the product has become defective during normal conditions. Product must be returned prepaid to BRC where assessment and repairs can be affected. All transportation charges remain the responsibility of the customer unless agreed upon in writing prior to receipt by BRC. All returned goods must have a return authorization number (RA#). These limited warranties do not apply to damages caused by accident, abuse, or adverse climatic conditions where temperatures and humidity are over normal level for human comfort. These limited warrantees will not be honored if BRC products are misused or if installation instructions supplied by BRC are not followed properly. Any attempt by personnel unauthorized by BRC to repair or modify a BRC product will render these limited warrantees invalid. The responsibility of BRC is limited exclusively to the above mentioned and in no way will BRC be held responsible for circumstantial damages consequent to the use of their products. In the case of products as paints and vinyls where manufacturers cannot warranty absolute color match, BRC declines all responsibility for any color variations or fading.

BRC

Accessories

Keyboard Combination Solutions

<i>Model</i>	<i>Description</i>	<i>List Price</i>
	<i>Platform</i> <i>Mechanism</i>	
Key Combo #1	<i>KBT(CV)RM</i> <i>KBWS-L22</i> Order Keycombo#1LM for left handed mouse tray.	461
Key Combo #2	<i>KBT(90)RM</i> <i>KBWS-L22EXT</i> Order Keycombo#2LM for left handed mouse tray.	525
Key Combo #3	<i>KBMOUSE</i> <i>KBWS-L17</i> Mouse tray extends left or right to a maximum of 9".	542
Key Combo #4	<i>KBTW27</i> <i>KBWS-L17</i> 27" laminate keyboard / mouse tray w/ vinyl wrist rest.	419
Key Combo #5	<i>KBT-RM</i> <i>KBWS-L22</i> Order Keycombo#5LM for left handed mouse tray.	470
Key Combo #6	<i>KBT(MS)RM</i> <i>KBSS</i>	577
Key Combo #7	<i>KBT(90)BRM</i> <i>KBWS-L22</i> Order Keycombo#7LM for left handed mouse tray.	470
Key Combo #8	<i>KBT(90)ADM18</i> <i>KBWS-L22</i> Fits 18" desk corners.	496
Key Combo #9	<i>KBT(MS)RM</i> <i>KBKS-21</i> Reversible mouse tray.	318
Key Combo #10	<i>KBC12</i> <i>KBWS-L22</i> Fits 12" radius corners.	444
Key Combo #11	<i>KBT-DC17</i> <i>KBWS-L17</i> Fits 16 "- 18" diagonal corners.	449
Key Combo #12	<i>KBTW27</i> <i>KBSS</i> KBSS mechanism extends above and below surface.	465

Ordering Notes:

For additional technical specifications, please refer to the Accessories Brochure.
 For quantities above 100, please call customer service.
 For ergonomic explanations, please call customer service.

BRC

Accessories

Keyboard Combination Solutions

1

<i>Model</i>	<i>Description</i>	<i>List Price</i>
KBW	Adjustable, non-retractable style. Can mount under any depth table.	174
KBW-CC	Low profile, fully adjustable style with 17" teflon slide assembly. ANSI BIFMA approved. This item not shown in brochure.	105
KBKS-21	Low profile, fully adjustable style, with Teflon slide assembly. Star knob adjustment for tilt. Sold only as keycombo #9 kit.	
KBWS-17	Low profile, fully adjustable style with ball bearing slide assembly. 17" attachment plate.	298
KBWS-22	Low profile, fully adjustable style with ball bearing slide assembly. 22" attachment plate.	316
KBWS-L17	Low profile, fully adjustable style with ball bearing slide assembly. 17" attachment plate.	311
KBWS-L22	Low profile, fully adjustable style with ball bearing slide assembly. 22" attachment plate.	325
KBWS-L17EXT	Specifications as above, but extend an additional 2" - 6". 17" attachment plate.	343
KBWS-L22EXT	Specifications as above, but extends an additional 2" - 6". 22" attachment plate.	380
KBLL	Compatible with all BRC keyboard platform trays. Smooth stable operation. Effortless, one hand position control.	284
KBSS	Compatible with all BRC keyboard platform trays. Smooth stable operation. Effortless, one hand position control.	357
KBKW46	Infinitely positionable, effortless one hand operation.	782
KBKW34	Dual arm support. Sit stand operation.	764
KBKW28	Black 3/4" thick tray included if requested with order.	746
KW(FOC)	5" focal adjustment	350
KWSSF	Self storing feature. Note: table top must have 24" depth minimum.	350
KBR21	Retractable tray with lock-out feature. Fixed height clearance is	110
KBR28	user defined during install.	124

Corner Fillers

KBCNR	Sits on worksurface, designed to work without mechanisms. For keyboard platform wedge call customer service.	115
ULU	Sits on worksurface, designed to work without mechanisms. For keyboard platform wedge call customer service.	206

BRC

Accessories

Keyboard Combination Solutions

<i>Model</i>	<i>Description</i>	<i>List Price</i>
KBT	Rectangular model, no wrist rests. 22" wide.	43
KBTW9	Rectangular model, with wrist rests. 9" wide.	81
KBTW20	Rectangular model, with wrist rests. 20" wide.	101
KBTW26	Rectangular model, with wrist rests. 26" wide.	108
KBTW27	Rectangular model, with wrist rests. 27" wide.	108
KBTW28	Rectangular model, with wrist rests. 28" wide.	113
KBTW29	Rectangular model, with wrist rests. 29" wide.	116
KBTW30	Rectangular model, with wrist rests. 30" wide.	123
KBT(CV)RM(*)	Curved platform and right mouse tray. For left handed mouse specify LM (*) for radius specify 12, 15, 18.	145
KBT-RM	Straight platform and right mouse tray. For left handed mouse, order KBT-LM.	145
KBT(90)BRM	Keyboard platform with right mouse tray. For left handed mouse, order KBT(90)BLM.	145
KBT(90)ADM17	Keyboard Platform with Dual mouse tray. 32"x16".	171
KBT(90)ADM21	Keyboard Platform with Dual mouse tray. 35"x15".	206
KBT-DC9	Keyboard and mouse platform with wrist rests.	124
KBT-DC12	Keyboard and mouse platform with wrist rests.	124
KBT-DC17	Keyboard and mouse platform with wrist rests.	124
KBT-DC21	Keyboard and mouse platform with wrist rests.	136
KBC-12	Keyboard and mouse platform with wrist rest.	119
KBC-18	Keyboard and mouse platform with wrist rest.	119
KBC-24	Keyboard and mouse platform with wrist rest.	119

Ordering Notes:

For additional technical specifications, please refer to the Accessories brochure.

For quantities above 100, please call customer service.

For ergonomic explanations, please call customer service.

BRC

Accessories

Keyboard Combination Solutions

<i>Model</i>	<i>Description</i>	<i>List Price</i>
WR-G19	Self tacking gel wrist rests. 19"x3".	46
WR-G27	Self tacking gel wrist rests. 27"x3".	69
WRM-G5	Self tacking Gel wrist rest for mousing.	60
WRM-VC7	Soft upholstered vinyl wrist rest for mousing. 7"x3".	53
WRM-VS9	Soft upholstered vinyl wrist rest for mousing. 9"x3".	57
WR-ULU	Curved soft upholstered vinyl, designed for ULU corner.	46
PLZOOM	Adjustable post legs (set) - Black	305
PLZOOMS	Adjustable post legs (set) - Silver.	305
PLZOOMC	Adjustable post legs w casters - Black	414
PLZOOMCS	Adjustable post legs w casters - Silver.	414
HPIP	Pencil tray. Low profile, 6 compartments, ball bearings.	131
RFR1	Footrest, tilting, non-slip rubber surface. 18"x12"x3.5"h.	129
RFR2	Footrest, tilting, non-slip rubber surface. 18"x12"x5"h.	156
TA-ATM	Telephone arm, smooth rotational action. Medium duty.	266
TA-ATH	Telephone arm, smooth rotational action. Heavy duty.	618
VRD-18SL	Adjustable document holder. 18"x12".	174
VRD-14SL	Adjustable document holder. 14"x12".	161
SCO-20	Slanted document holder. 20"x15".	138
SCO-11	Slanted document holder. 11"x9".	101
CPU-BRC	Tower model CPU holder. Mounts to side of workstation.	129
CPU-CS	Mobile tower model CPU holder, with castors.	138
CPU-MCS	Adjustable tower model mobile CPU holder.	78
CPU-HF	Under desk CPU holder. Fixed unit with swivel.	183
CPU-HS	Under desk CPU holder. Sliding unit with swivel.	357

Ordering Notes:

For additional technical specifications, please refer to the Accessories brochure.

For quantities above 100, please call customer service.

For ergonomic explanations, please call customer service.

BRC

Accessories

Keyboard Combination Solutions

Model	Description	List Price
MA-PPA	Single monitor pivot arm. Easy adjustment and lockable.	257
MA-SBB	Single swinging monitor arm. 180 degree swing.	458
MA-DBB	Double swinging monitor arm. 180 degree swing.	732
MA-TBB	Triple swinging monitor arm. 180 degree swing.	846
MA-QBB	Quad swinging monitor arm. 180 degree swing.	984
MA-SCB	Single counter balance monitor arm. Effortless movement.	922
MA-DCB	Double counter balance monitor arm. Effortless movement.	1875
MA-ASM	Single heavy duty monitor arm. Infinite adjustments.	2767
MA-ADM	Double heavy duty monitor arm. Infinite adjustments.	3905
MA-ATM	Triple heavy duty monitor arm. Infinite adjustments.	5227
MA-AQM	Quad heavy duty monitor arm. Synchronized adjustment.	5510
DP-PM22	Flip top power port. 1 duplex, 1 voice and 1 data slot. 10' cord.	138
PMRJ11	Voice jack, fits all BRC electrical	28
PMRJ45	Data jack, fits all BRC electrical	28
DP-PU30	Retractable power center. 3 simplexes, 10' cord.	298
DP-PU22	Retractable power center. 2 simplexes, 1 voice, 1 data. 10' cord.	289
DP-PM412	Flip cover / 4 Gang design. 4 simplexes, 6 voice, 6 data. 9' cord.	778
DP-ZFN-B	Retractable with wood surface. 4 duplex, 2 voice, 2 data. 6' cord.	3951
DP-PWB	Power bar. 6 outlets. On/off switch, single circuit. 15' cord.	65
DP-PWB-4	Power bar with jacks. 4 outlets, 14' voice & data cord, surge	74
DLT24	18 watt compact fluorescent desk lamp. Specify 'DBM' for desk mount or 'SMB' for slat mount.	769
CTL24	Task light with clear acrylic prismatic diffuser. 9' cord. 18" long	220
CTL3036	Task light with clear acrylic prismatic diffuser. 9' cord. 24" long	181
CTL4248	Task light with clear acrylic prismatic diffuser. 9' cord. 36" long	206
CTL60	Task light with clear acrylic prismatic diffuser. 9' cord. 48" long	229

Ordering Notes:

For additional technical specifications, please refer to the Accessories brochure.

For quantities above 100, please call customer service.

For ergonomic explanations, please call customer service.

BRC

Accessories

Keyboard Combination Solutions

Model	Description	List Price
ZWB-27	Wire spine. Flexible wire organizer, mounts under worksurface. (black)	129
ZWS-27	Wire spine. Flexible wire organizer, mounts under worksurface. (silver)	129
VWM	Vertical wire organizer, peel and stick adhesive. (set of 2 - 18" pieces)	46
WMCC	"C" shaped wire manager. Peel and stick adhesive. (1 - 24" piece)	65
WMCJ	"J" shaped wire manager. Peel and stick adhesive. (price per foot)	37
ARS-34	Accessory rail. Aluminum construction. Bolt or clamp to table top.	237
ARS-46	Accessory rail. Aluminum construction. Bolt or clamp to table top.	251
ARS-58	Accessory rail. Aluminum construction. Bolt or clamp to table top.	264
ARS-70	Accessory rail. Aluminum construction. Bolt or clamp to table top.	317
ARD-34	Double Accessory rail. Aluminum construction. Bolt or clamp mount.	519
ARD-46	Double Accessory rail. Aluminum construction. Bolt or clamp mount.	546
ARD-58	Double Accessory rail. Aluminum construction. Bolt or clamp mount.	574
ARD-70	Double Accessory rail. Aluminum construction. Bolt or clamp mount.	679
TT-B	Telephone tray. Hangs off accessory rail. Black.	55
LT-B	Letter tray. Hangs off accessory rail. Black.	69
LGT-B	Legal tray. Hangs off accessory rail. Black.	69
AT-B	Accessories tray. Hangs off accessory rail. Black.	51

Ordering Notes:

For additional technical specifications, please refer to the Accessories brochure.

For quantities above 100, please call customer service.

For ergonomic explanations, please call customer service.